



German engineerin

PLANT PROTECTION AND LANDSCAPE MANAGEMENT Sprayers. Misters. Granulate spreaders.

SOLO – Pioneers of mobile plant protection technology



The better choice - since 1948. This is not a hollow phrase for us; it conveys the philosophy to which our company has been firmly committed for over 75 years. SOLO products have always been the better choice for many reasons. It begins at the

development stage, always with a clear, solution-oriented focus on the benefits for you as the user. How can our appliances make your work easier, more efficient and more economical with resources? These are the thoughts that formed the basis for the world's first backpack power mister as long ago as 1950. It was a minor revolution in the vineyards around Stuttgart, and a little later in plantations and nurseries all over the world.

The first customers to use this new generation of tools were impressed by how much easier their work became. This innovation finally made it possible for someone to work on their own, that is to say "solo". This is how the brand name of our family business came into being.

SOLO sprayers, misters, granulate spreaders and cut-off machines are also the better choice because of their high quality – Made in Germany – and their resulting durability. SOLO products from the 1950s and 1960s are still in use today. We therefore commit ourselves each and every day to ensuring that our mobile spraying and misting technology for plant protection, cleaning and disinfection enjoys the best of reputations all around the world: be it in German gardens, the vineyards of France, cocoa plantations in Africa, cotton fields in Asia, coffee plantations

in South America, or disinfection operations in large buildinas

To meet these diverse requirements, the product range from SOLO provides everything you might need from small, manually operated 1-litre sprayers, to a large selection of battery-operated sprayers, to high performance backpack misters with large tanks and powerful two-stroke engines. An extensive range of accessories adds to the versatility of our plant rotection appliances.

SOLO products are the better choice not least because of their attractive price/performance ratio.

In addition to proven plant protection sprayers, our latest catalogue offers a host of new and revised products for the forthcoming season. You are sure to find the right SOLO appliance in our extensive range

Andreas Emmerich & Sascha Luft – Managing Directors of SOLO Kleinmotoren GmbH

Four tips to help you choose the right product

Pressure sprayer or backpack sprayer? The answer to this question often depends on the size of the area to be treated. If it's on the small side, a pressure sprayer with shoulder strap will suffice. For larger areas, backpack sprayers are more suitable as they are comfortable to carry and have a larger capacity. All that is left to decide is whether you want to operate the pump manually or let a battery or petrol driven unit do the pumping for you.

Tall plants?

If you need to treat tall plants, you should use extension wands. They will help you reach the right places and apply the medium more accurately. As well as being made of plastic material, spray wands are also available in robust brass or ultra-light carbon. The telescopic carbon spray wand, which can be extended up to 230 cm, weighs just 160 g. This protects the operator's joints even during longer working periods.

Liquid or solid?

All SOLO sprayers are designed for applying liquid media. However, the nozzles vary depending on the application: flat spray nozzles for treating large areas, hollow cone nozzles for individual plants with insecticides or fungicides. Herbicides are best applied with deflector nozzles. With solid granulate, SOLO 421 is the product of choice. It distributes the granules evenly over the required area and can also be used in winter to spread gritting salt on pathways.

When to use a mister rather than a sprayer? In large scale agricultural plantings, orchards, horticulture, vineyards and in many other cultivated plant stocks around the world, it is crucial for the media to successfully reach and penetrate the crops. SOLO power misters are designed to precisely fit that purpose. They generate a powerful air flow that converts the plant protection spray medium into a fine mist to effectively cover all the required parts of the plant.

Classic, Comfort or Pro...

SOLO CLASSIC SOLO COMFORT

Whether you're an occasional user, a discerning private user or a professional, you're guaranteed to find the right product to suit your requirements in one of our three equipment lines.

It goes without saying that our CLASSIC sprayers are also of the same high quality you would expect from all SOLO products. The differences are found in the equipment features and ease of use. All backpack sprayers in the COMFORT series and above are fitted as standard with FKM seals ("Viton®") in all the crucial places. Moreover, the PRO backpack sprayers feature a lightweight, telescopic spray wand and are especially comfortable to wear, preventing tiredness even after prolonged periods of use. Battery-operated sprayers in various performance categories, a power sprayer and two power misters are lightweight and offer powerful output. Whether they use electric motors or durable 2-stroke SOLO engines, these tools combine high levels of performance and top quality. In addition to sprayers and misters, the PRO series also features the 421 granulate spreader.

SOLO – the right choice for any application

Sample ap	oplications for SOLO sprayers and misters	201 202 260
	Plants on balconies and patios	•
-	Private gardens, decorative plants, shrubs	•
tion	Large private gardens, decorative plants, shrubs, plantings	
Plant protection	Professional horticulture and landscaping, greenhouses	
t pr	Espaliered trees, trees	
lant	High trees	
<u>م</u>	Weed control	
	Agricultural crops in general	
re	Large scale plantings, such as orchards, vineyards, plantations and horticultural operations	
Agriculture	Plant protection	
J rici	Disinfection	
ΑĜ	Pest control	
Woodland mainte- nance	Plant care	
Woot mai nar	Protection against game attack	




Are you looking for a sprayer or foam sprayer that is specially designed for cleaning agents and disinfectants? Then ask about our **CLEANLine** sprayers.

Where can you find what you need in this catalogue?

Manual sprayers
Pressure sprayers
Backpack sprayers
Battery-operated sprayers
Battery-operated trolley
Misters
Granulate spreader
SOLO product diversity
Specification







Care for and fertilise plants

Protect the environment

04	Spray wand accessories	30
08	Nozzle accessories	32
12	Gasket sets as accessories	33
16	Other accessories	34
20	Two-stroke oil and mixing container	35
22	Batteries and chargers	35
26	Accessories for misters	36
27		
28	_	



MANUAL SPRAYERS

The models of the 2 series are characterised by a highly efficient pump that builds up the full operating pressure – a powerful 3 bar – in just a few strokes. With their non-slip and ergonomically designed handle, they set a real benchmark, fitting optimally in the hand without causing fatigue.

On the 201 C and 202 C models, as well as the 401 and 402, the adjustable nozzle can be swivelled. Practical for treating the underside of leaves or other hard to reach areas.

No pumping is required at all with the new, convenient and smart SOLO 260 battery-operated sprayer. The permanently installed battery can be quickly recharged via USB cable and when fully charged, is easily sufficient for several container fillings.





MANUAL SPRAYERS



MANUAL SPRAYERS

SOLO 202

As per SOLO 201, but with nominal capacity of **2 I**. 2.0 l, 3 bar, 0.5 kg Part no. 20201

solo

Recommended accessories

Short wand with swivelling head With the short spray wand, parts of the plant that are more difficult to reach, e.g. dense foliage or applications near ground level, are made more accessible. The swivelling nozzle, which can be used either on its own or in combination with the short spray wand, also allows the underside of leaves to be specifically targeted.

solo

180°

For 201/202 (also pressure and backpack sprayers) Part no. 49630

Telescopic wand

To increase reach and treat hard-to-reach parts of the plant. The telescopic spray wand can also be combined with SOLO drift guards and other nozzles, especially when applying herbicide.

Part no. 49629





Greater reach:

For the two manual sprayers in the Comfort line, SOLO 401 and 402, a practical accessory is available in the form of a telescopic wand (49628), which can be extended from 25 to 50 cm as required. The telescopic function improves access to parts of plants that are further away or otherwise hard to reach. For example, the nozzle head can be pivoted through 180°, making it convenient and effective to treat the underside of affected leaves.



PRESSURE SPRAYERS

Over rugged terrain and for professional application, such as in the horticulture and landscaping sector or agriculture and forestry, we recommend the 256, 257 or 258 professional pressure sprayers. The containers are some of the most robust on the market. An accidental tumble or similar tough tests are no problem for these professional pressure sprayers. With resistance to UV rays, the transparent containers are all set for a long service life. A wide range of accessories, such as extension wands, drift guards and different nozzles for a variety of applications make the SOLO pressure sprayers even more versatile to use.



PRESSURE SPRAYERS



PRESSURE SPRAYERS





SOLO 258

As per SOLO 256, but with nominal capacity of 11 I and stable base Piston pump, 11 I, 2.9 kg, 3 bar • Part no. 25801



Accessories: Practical wheel set, comprising large, high traction wheels incl. axle and a handle for easy tilting and movement. Part no. 49211





BACKPACK SPRAYERS

With either piston or diaphragm, the pumps in the SOLO backpack sprayers are some of the most effortless and efficient on the market. Longer operating times are therefore simple to achieve, thanks also to the exceptional straps, inspired by the outdoor sports sector on the 425 PRO models. Comfortable and padded, they can be adjusted in various ways for a perfect fit - also available as accessories.

The UV-resistant tanks come in four sizes: 10, 15, 16 or 20 litres. They are translucent so the fill level is easily visible. The tank is filled and drained through a large filler neck.

For convenient transport, the Comfort and Pro models with 15-litre tank feature a carrying handle with built-in spray wand retainer.

See page 30 onwards for our extensive range of accessories. These can be used to further extend the application options of these highly resilient sprayers.



BACKPACK SPRAYERS



BACKPACK SPRAYERS



solo

1014 424

solo

473D

solo



A true all-rounder, proven millions of times over, for plant protection applications. Simple, easy to service and robust design. Pump lever can be fitted on the right or left side. Piston pump, 15 l, 4.4 kg Part no. 42521

425



A classic with nominal capacity of 15 l and diaphragm pump. For abrasive fluids. Diaphragm pump, 15 l, 4.6 kg Part no. 47521

SOIO 475

SOLO 425 PRO

The ultimate backpack sprayer. Professional carrying system, telescopic spray wand with high quality brass nozzles and pressure gauge are standard features with this model. Piston pump, 15 l, 5.2 kg Part no. 42541

5010

425



0



BATTERY-OPERATED SPRAYERS

The battery-operated sprayers from SOLO are whisper-quiet and free of emissions. With their powerful electric drives, they are the ideal choice when it comes to plant protection in enclosed spaces with large areas requiring treatment. Efficient working practices and high performance are called for in conservatories and greenhouses, too. Of course, these battery-operated sprayers also perform well outdoors. With one press of the Power button, the powerful pump is barely noticeable but for a quiet humming

Alongside the very compact 6-litre EAZY 206 sprayer (see next page), the SOLO 411 marks the new entry into the battery-operated range. With a 10-litre tank, it is the small, compact, backpack model – light and ideal for smaller areas.





The SOLO 441 is the right choice for occasional work in the garden or in enclosed spaces. The powerful 442 extends the concept of the 441 with further interesting features, such as 4 electronic pressure settings from 1-4 bar and an 18 V rechargeable lithium-ion battery system. With the SOLO 417, users have two power settings at their disposal, which regulate the pressure range of the powerful 12 V pump to up to 4.3 bar. The standard pressure gauge helps you apply the correct quantity. Sound emissions hardly become any more audible even at the higher power level. This ensures a pleasant working environment without the need for ear protectors. When the battery runs out, it can be quickly recharged inside the appliance.



BATTERY-OPERATED BACKPACK SPRAYERS

BATTERY-OPERATED BACKPACK SPRAYERS



SOLO EAZY 206

With its 6-litre tank capacity, the SOLO EAZY 206 can be held in the hand using the ergonomically shaped handle, carried on the shoulder with the wide, adjustable strap that is included, or simply placed on the floor. The spiral hose gives the operator of this small, compact sprayer sufficient freedom of movement and reach despite its modest dimensions. Depending on the application, the adjustable universal nozzle can be twisted to change the spray pattern.

This robust, lightweight product is equipped with a rechargeable lithium-ion battery that provides up to 170 minutes of continuous operation and can be recharged in just two hours. Lithium-ion battery 11.1 V/2.5 Ah 6 l, 2.2 kg Part no. 20601



SOLO 441

The entry level model for battery-operated plant protection equipment. The dry weight is a mere 3.7 kg. Rechargeable lithium-ion battery for up to 170 minutes of continuous operation and just two hours' charging time. The powerful and durable electric . pump delivers 2.5 bar operating pressure. The 16 l tank and base are designed to suit the anatomy of the human spine. Lithium-ion battery 11.1 V/2.5 Ah, 16 l, 3.8 kg Part no. 44101



solo

SOLO 417

The powerful lead gel battery in the SOLO 417 provides up to 3.7 hours of operation and takes 8 hours to recharge. The lightweight, transparent plastic tank can hold 18 l. A 50 cm plastic spray wand with high quality nozzle are included as standard. Lead gel battery 12 V/7.2 Ah, 18 l, 7.6 kg Part no. 41701

onwards

02 Large filling and cleaning aperture

03 Seals resistant to all approved spray liquids

Ergonomically shaped tank made of 04 Ergonomically shaped tank induce of UV-resistant plastic with moulded carrying handle and integrated level scale

external charger (model 417: lead gel battery)

08 Comfortable carrying system with chest strap (442)

07 Powerful, maintenance-free lithium-ion battery with high quality brand-name cells and

Robust electric pump in impact-resistant enclosure; adjustable pressure and spray

volume (442)

SOLO 411

With the new 411 and its 10 I tank, SOLO offers one of the lightest and most compact battery-operated backpack sprayers. As with the 441, the standard scope of delivery includes a rechargeable lithium-ion battery for up to 170 minutes of continuous operation and just two hours' charging time. The pump generates a constant operating pressure of 2.5 bar.

Lithium-ion battery 11.1 V/2.5 Ah, 10 l, 3.6 kg Part no. 41101



SOIO

SOLO 442

With the powerful 18 V rechargeable battery you can work for up to 5 hours. The supplied charger ensures the battery is full in just a fraction over an hour. For even longer working periods and shorter charging times, an express charger and a 5.0 Ah battery are available as accessories (see page 35).

The pump pressure can be set to one of four settings from 1 bar to 4 bar via a soft user interface, which also shows the battery charge level.

The ergonomically formed 16-litre tank, together with the adjustable, padded carrying system, ensures fatigue-free operation also over long periods of use.

Lithium-ion battery 18 V/2.5 Ah 16 l, 4.5 kg, 1-4 bar Part no. 44201

> Waist belt as an accessory for even greater weare comfort Part no. 49598

Expand your application options with matching accessories from SOLO

Reach tall plants with ease using a longer spray wand - available in plastic, brass or even ultra-lightweight carbon versions. The latter has a reach of up to 230 cm. Choosing the right nozzle is also important. The flat spray nozzle is the first choice for treating large areas, whereas herbicide can be applied with pinpoint accuracy using deflector or full cone nozzles, plus drift guards to prevent the media drifting into adjacent areas. Detailed descriptions of SOLO's comprehensive range of accessories can be found from page 30





SOLO misters are amongst the most popular in the world. They are right at home and have become indispensable in agriculture, horticulture, woodland maintenance, public parks and green areas, amongst fruit and vine growers and in coffee and cocoa plantations in Africa and South America.

SOLO misters are now even more ergonomic and efficient thanks to the extremely comfortable, highly resilient plastic support frame with ergonomic design, the integrated carrying handle, the tank with its enlarged capacity of either 14 or 18 litres (i.e. 2 or 3 litres more than before), and a much larger filling and cleaning aperture.

Other outstanding characteristic features: Impressive spray performance and light weight are typical qualities of misters from SOLO that make them the economical and environmentally responsible choice for the protection of crops and plantings all around the world.



MISTERS

The distinctive SOLO robustness and ease of handling are a continuing feature. After all, it is thanks to all these benefits that our misters have been helping to bring about high-yield harvests across the globe for many years.

In this, advanced engine technology from SOLO ensures low fuel consumption, reduced exhaust gas emissions and high performance over long periods – even under adverse warm conditions. In addition to plant protection, these misters can also be used for disinfection and pest control in the fields of logistics, agriculture and animal husbandry. The range of accessories (see page 35) makes SOLO misters even more versatile: a liquid booster pump ensures uniform application when spraying upwards and when using longer spray wands. The practical twin nozzle allows the treatment of two rows at the same time. The new ULV nozzle produces droplet sizes of less than 50 µm and is ideal for the control of disease-carrying insects.


MISTERS



SOLO MASTER 466 evolution

Powerful mister with quiet 66.5 cm³ 2-stroke SOLO engine. Advanced engine technology ensures low noise and reduced exhaust gas emissions. A diaphragm carburettor and comfortable backpack carrying system ensure optimum working conditions. One of the lightest and most compact in its class – worldwide.

66.5 cm³, 2.1 kW/2.9 hp, 1400 m³/h, 14 l Part no. 46601, 10.0 kg (not available in the EU) Part no. 46603, 10.1 kg (for EU/US)



SOLO PORT 423 evolution MAX

As per the 42318, but with 18 l tank capacity. 72.3 cm³, 3.0 kW/4.1 hp 1400 m³/h, 18 l, 12.0 kg Part no. 42319 • (not available in the EU)



- **01** Large filling and cleaning aperture with stainless steel strainer
- **O2** Extended reach through high air expulsion velocity and optimised nozzles
- **03** High volume tank made from UV-resistant plastic. Fill level always readable through translucent tank wall
- **04** Ergonomically designed control for throttle, spray volume and start/stop
- Large petrol tank together with a frugal 2-stroke SOLO engine ensure long working 05 cycles
- The new evolution support frame Comfortable, ergonomically shaped backpack 06 frame with padded straps, integrated carrying handle, anti-vibration system and maintenance aperture
- 07 Designed for easy maintenance
- (08) Fan housing made from highly resilient plastic
- **09** Long rotating plastic spray wand, can be pivoted effortlessly in any direction
- **10** Advanced, low-emission 2-stroke SOLO engine with specially coated cylinder for a long service life of the appliances

MISTERS

SOLO PORT 423 evolution

Throughout the world, the SOLO PORT 423 is the epitome of a robust and reliable mister. With its formidable 72.3 cm³ 2-stroke SOLO engine and 3 kW, it is also one of the most powerful. The service-friendly design of this mister has poven itself over many years. 72.3 cm³, 3.0 kW/4.1 hp, 1400 m³/h, 14 l, 11.9 kg Part no. 42318 • (not available in the EU) 5010 solo PORT 423



The right nozzle for any crop: The standard scope of delivery includes a long reach nozzle as well as a wide spray grille and a nozzle with interchangeable deflectors. The long reach nozzle directs the spray medium over a distance of up to 12 m (PORT 423). The spray width increases with the wide spray grille. The nozzle with single sided deflector makes it easier to spray rows of crops. It also enables you to reach the underside of leaves. The double sided deflector allows you to efficiently treat two rows at the same time.

25

GRANULATE SPREADERS





Spreading seed, fertiliser after scarifying, gritting salt, oil absorbers, cleaning agents, pelletised garden lime, bird seed, stock feed, sand ... the SOLO granulate spreader 421 is designed to be used all year round. A manual crank drives the rotating spreader disc to guarantee precise distribution of the granulate onto the area to be treated. The built-in agitator keeps the material in the tank thoroughly mixed. Up to 9 litres of granulated matter can be applied where specifically required, even on difficult terrain where a wheeled appliance would be unsuitable. The direction in which the material is spread can be adjusted just as easily as the delivery rate.

The spreader is carried in front of the body by means of an adjustable strap. The large filling aperture makes filling easy, whilst the large screw top protects users from harmful dust.

Large filling and cleaning aperture with 01 tightly fitting dust cap – prevents the ingress of dust

02 Padded shoulder strap


03 Large 9 I tank

- **04** Smooth-running manual crank drive Robust integral agitator: Fully sealed gearbox with angular 05
- metal gears Spreader disc with large fins for even 06 application

Also suitable for winter grit (salt, etc.)

9 l, 2.5 kg • Part no. 42101





Enclosed worm drive with direction (1), agitator (2) angular metal gears



Comfortable strap

Secure base and ergonomic moulding The SOLO CLEANLine is a comprehensive and versatile range of appliances for cleaning and disinfection. Special seals and the highest quality nozzles are adapted to these application areas and offer chemical resistance in the application of acidic or alkaline liquids. Three foam sprayers with the patented varioFoam foam nozzle complete the CLEANLine range.

SOLO cut-off machines: Powerful tools for really tough jobs. These formidable appliances make short work of cutting through concrete, steel, asphalt, castings and stone.

At the same time, they set new benchmarks, as their ergonomics, technical specification and easy of maintenance are peerless in this engine category. Moreover, the 881 models come with the innovative separate lubricating system iLube®.


Request our CLEANLine and cut-off machine catalogues and ask your local SOLO partner for more details.




PRODUCT DIVERSITY – MADE BY SOLO




SPECIFICATIONS





					en h								
Model	410	NOVA	473 D	425	435	475	425	475	425				
Part no.	41001	424 42422	Classic 47321	Classic 42521	Classic 43521	Classic 47521	Comfort 42531	Comfort 47531	Pro 42541				
Pump type piston/diaphragm	• / -	• / -	-/ •	• / -	• / -	-/ •	• / -	-/ •	• / -				
Nominal capacity I	10	16	10	15	20	15	15	15	15				
Spray pressure bar max.	4	4	4	4	4	4	4 / 6*	4	4 / 6*				
Spray wand length cm	50	50	50	50	50	50	50	50	50 - 90, adjustable				
Nozzle	SOLO universal he adjus	ollow cone nozzle, stable		SOLO flat spray and hollow cone nozzle									
Manual spray pressure adjustment	-	-	-	-	-	-	•	•	•				
Pump lever adjustable	-	-	-	-	-	-	•	•	•				
FKM seals ("Viton®")	-	-	-	-	-	-	•	•	•				
Telescopic carbon spray wand	-	-	-	-	-	-	-	-	•				
Pressure gauge	-	-	-	-	-	-	-	-	•				
Dry weight kg	4.7	5.1	4.2	4.4	5.0	4.6	4.5	4.7	5.2				
* With plugs													

			soto		
Model Part no.	206 20601	411 41101	441 44101	442 44201	417 41701
Battery V/Ah	Lithium-ion 11.1 / 2.5	Lithium-ion 11.1 / 2.5	Lithium-ion 11.1 / 2.5	Lithium-ion 18 / 2.5	Lead gel 12 / 7.2
Nominal capacity I	6	10	16	16	18
Nozzle	Univ. hollow cone, adjustable	Univ. hollow cone, adjustable	Univ. hollow cone, adjustable	Univ. hollow cone, adjustable Flat spray nozzle	Flat spray nozzle
Spray pressure settings / bar	1 / 2.5	1 / 2.5	1/2.5	4 / 1-4	2 / 2.5; 4.3
Spray volume l/min (setting) with standard nozzle	0.6 - 1.16	0.6 - 1.16 -	0.6 - 1.16	0.68 (1) / 0.97 (2) 1.19 (3) / 1.37 (4)	1.07 1.42
Operating time h	2.9	2.9	2.9	5	1: 3.7 ; 1 1: 2.3
Charging time h	approx. 2	approx. 2	approx. 2	approx. 1.1	approx. 8
Dry weight inc. battery kg	2.2	3.6	3.8	4.5	7.6
Spray wand	Plastic, 50 cm	Plastic, 50 cm	Plastic, 50 cm	Plastic, 50 cm	Plastic, 50 cm
Standard scope of delivery	Battery, charger	Battery, charger	Battery, charger	Battery, charger	Battery, charger
Sound pressure level dB(A) ⁽¹⁾	< 70	< 70	< 70	< 70	< 70
Sound power level guaranteed dB(A) ⁽¹⁾	< 70	< 70	< 70	< 70	< 70
Vibration value m/s ^{2 (2)}	≤ 2.0	≤ 2.0	≤ 2.0	≤ 2.0	≤ 2.0



	solo	
Model	421	
Part no.	42101	
Fill capacity l	9	
Tank filling aperture diameter cm	14.5	
Dry weight kg	2.5	
Dimensions excl. crank W x D x H, cm	29 x 26 x 49	
Throw distance subject to material, cm	Granulate approx. 300 - 400 Grass seed approx. 180 - 200	
Distribution width subject to material, cm	Granulate approx. 180 - 200 Grass seed approx. 150 - 170	
Gearbox	Fully sealed worm drive with angular metal gears	
Transmission ratio	1 : 7.5	

our highly motivated team of employees in the German city of Sindelfingen. So that you can be assured of choosing a product which deserves the SOLO brand name and which is packed with Swabian expertise, well-engineered details and robust components that ensure durability and user convenience.

SPECIFICATIONS

	Fold PORT	423 entrop
R 466 03 (EU/US)	PORT 423 evolution 42318**	PORT 423 evolution MAX 42319**
SOLO	2-stroke SOLO	2-stroke SOLO
;	72.3	72.3
.9	3.0 / 4.1	3.0 / 4.1
	14	18
)	1400	1400
	12	12
0.1 (46603)	11.9	12.0
	ing nozzle with 4 settings, long rea gle sided and double sided deflect	
	97	97
	110	110
5	≤ 6.3	≤ 6.3

For us, MADE IN GERMANY Means the highest of standards


We are one of few manufacturers who can proudly claim that our products are not only developed in Germany, but are also produced there in accordance with the high quality standards that are the inspiration for the international "Made in Germany" seal of quality. Whether manual pressure sprayers, backpack sprayers or misters... the plastic injection moulding, blow moulding of the tanks and final assembly are carried out by

Made in Germany

Spray wands for pressure and backpack sprayers

•	Recomme	nded	• Suitable	•	Not rec	ommen	ded	-	Unsuitable / does not fit			
Pos.	Designation	Description ar	nd recommended application	Part no.	201 202	211 212	401/402 201 C 202 C	461 462	256 257 258	410 424 425 435	473 D 475	206/411 216 417 441/442
1	Telescopic wand 25 - 50 cm	nozzle and sm makes it easier further away of head can be p convenient and affected leave plastic, impact-	extended up to 50 cm, with adjustable universal nozzle and small drift guard. The telescopic function makes it easier to reach parts of plants that are further away or concealed. For example, the nozzle head can be pivoted through 180°, making it convenient and effective to treat the underside of affected leaves. The telescopic wand consists of a plastic, impact-resistant, profiled outer tube and a high grade, robust, stainless steel inner tube.			-	401/ 402: • 201/ 202: -	-	-	-	-	-
2	Spray wand 50 cm with flat spray nozzle	Standard spray wand 50 cm, including angled nozzle head, high grade flat spray nozzle, filter and cap nut for attachment to the manual valve. Spray wand is flexible and almost unbreakable thanks to high quality plastic material that can withstand extreme loads. Suitable for universal use in many plant protection applications.		49439	-	•	-	٠	•	•	•	206/216 411/441:
3	Extension wand 50 cm	universal use in many plant protection applications. We recommend the extension wand for all applications that simply require an extended reach. It includes a connection nut with seal ring to attach to all standard SOLO spray wands, for pressure sprayers and backpack sprayers with a nominal capacity of 5 I or more. Almost unbreakable thanks to high quality plastic material that can withstand extreme loads.		49513	-	•	-	•	•	•	•	•
4	Brass spray wand, 50 cm			49519	-	•	-	•	•	•	•	•
5	Universal spray wand, 50 cm		and backpack sprayers from SOLO and nufacturers. Including adjustable universal spray nozzle.	49610	-	•	-	•	•	•	•	•
6	Brass spray wand, 75 cm	that require ro	ensive and professional applications obust, rigid spray wands. The 75 cm d can be optimally supplemented with es such as drift guards.	49428	-	•	-	•	•	•	•	•
7	Brass telescopic spray wand 57 - 100 cm	can be continuc in any position challenging or extended reach recommended guards. The tele	It telescopic spray wand made from brass busly extended up to 100 cm and locked It can be put to various uses in any commercial application , to enable an n or to treat ground level areas . Also for working with spray booms or drift scopic spray wand is supplied complete with hment to the SOLO manual valve.	49478	-	•	-	•	•	•	•	•
8	Brass tree spray wand 150 cm	applications th extended reach plants, e.g. for s The brass tube c	ray wand is ideal for all challenging at require a robust, rigid wand with an n. We also recommend it for treating taller praying espaliered trees or bushes. onsists of two 75 cm threaded spray wands ameter, including two cap nuts and seals for		-	•	-	•	•	•	•	•
9	Carbon tree spray wand 120 cm NEW	weighs just 100 applications the wands – even v very low weight, suitable for lon	spray wand made from carbon fibre material) g. It can be used for all challenging at require rigid and extremely lightweigh vith an extended reach. Thanks to its it protects the operator's joints and is ger work periods. Supplied complete with hment to the SOLO manual valve.	49449	-	•	-	•	•	•	•	•
10	Carbon telescopic spray wand 60 - 120 cm NEW	ultra-light carb recommend this that require a r with adjustable working with a guards. Long w are no problem.	long telescopic spray wand made from on fibre material weighs just 95 g. We version for all challenging applications rigid and extremely lightweight wand e reach. It is also recommended for accessories such as spray booms or drift ork periods with minimal strain on the wrists The standard scope of delivery includes the thment to the SOLO manual valve.	49457	-	•	-	•	•	•	•	•

Pos.	Designation	Description and recommended application	Part no.	201 202	211 212	401/402 201 C 202 C	461 462	256 257 258	410 424 425 435	473 D 475	206/411 216 417 441/442
11	Carbon telescopic spray wand 120 - 230 cm NEW	The telescopic spray wand made from ultra-light carbon fibre material weighs just 160 g and is continuously adjustable in length from 120 - 230 cm. It can be used for all challenging applications that require rigid and extremely lightweight wands with a very long reach. The low weight greatly facilitates the work and enables long periods of use. Supplied complete with cap nut for attachment to the SOLO manual valve.	49445	-	•	-	•	•	•	•	•
12	Flexible spray wand extension 15 cm	Flexible and ideally suitable for treating inaccessible areas and places that are not easily visible or are difficult to reach, including use in pest control, for example. With the pliable spray wand section that can be bent by up to 180°, the jet can be sprayed in any direction. Including connection nut for fastening to an existing spray wand end piece, without nozzles. Can be combined with all SOLO spray wands and spray nozzles; the cap nut for attachment is included.	49450	-	•	-	•	•	•	•	•
13	Flexible double spray head 60 cm	The double spray head has many possible applications, e.g. for treating a plant or row of plants from two sides at once, or for spraying two rows at the same time. With its twin nozzles, it can be used for treating single plants and to apply repellent spray to protect against browsing animals. With its two flexible spray wands, the double spray head has a total operating width of 60 cm. It comes complete with nut to connect to each spray wand, preinstalled hollow cone spray nozzles and two further sizes of hollow cone nozzle. Other types of nozzle in different sizes can also be fitted if preferred.	49411	-	•	-	•	•	•	•	• 206/216 411/441: •
14	Spray boom 60 cm	The 60 cm wide spray boom has two nozzles in three different sizes and is ideal for treating two rows at a time or for area spraying. Made from special, almost unbreakable plastic material, supplied with two ball valve nozzle filters to prevent dripping and a cap nut for attachment to an existing spray wand. We recommend combining it with the SOLO short, rigid, brass or carbon fibre spray wands.	49514	-	•	-	•	•	•	•	206/216 411/441:
15	Aluminium spray boom 120 cm	For treating larger areas, we recommend twice the spraying width with the 120 cm wide, light, aluminium spray boom. Four flat spray nozzles and four ball valve nozzle filters to prevent dripping are preinstalled; two further sets of four nozzles are included. It can be best combined with the SOLO short, rigid, brass or carbon fibre spray wands. The cap nut for attachment to the spray wand is provided.	49299	-	•	-	•	•	•	•	206/216 411/441:



Nozzles and drift guards for pressure and backpack sprayers

٠	Recomme	Recommended • Suitable					Not recommended					- Unsuitable / does not fit				
Pos.	Designation	Description a	nd re	commended application	Part n	0.	201 202	211 212	401/402 201 C 202 C	461 462	256 257 258	410 424 425 435	473 D 475	206/411 216 417 441/442		
1	Full nozzle set	 Iniversal nozzle set for all the most important application areas. The set contains a total of nine different, high grade flat spray, deflector and hollow cone nozzles. Four flat spray nozzles for treating large areas and spraying rows. With a ribbon-like spray pattern in sizes 015, 02, 03 and 04. Two deflector nozzles especially for applying herbicides: for treating large areas and working in the low pressure range with a coarse droplet spray and ribbon-like spray pattern. The nozzles come in sizes DT 1.0 and DT 2.5. Three hollow cone nozzles for treating upright single plants, shrubs and large scale plantings, especially for insecticides and fungicides. The three matching nozzle caps have hole sizes of 1.0, 1.4 and 1.8 mm, and are combined with the required swirl plate. The nozzle set includes a nozzle head with preinstalle flat spray nozzle. 		49574	1		•	-	•	•	•	•	•			
	Universal plastic nozzle, adjustable	especially suita be adjusted fr	rsal hollow cone nozzle made from plastic is suitable when treating single plants. It can ed from fine droplets with a hollow ped spray pattern, right through to a point		49525	5	-	•	-	•	•	•	•	206/216 411/441:		
	Universal brass nozzle, adjustable	especially suita	ble v bly a	e when treating upright single plants. v adjusted from fine droplets right		5	-	•	-	•	•	•	•	•		
4	Oval drift guard 30 x 11.5 cm	herbicide over spraying of an helps prevent into adjacent water. It is equ ribbon-like sp the sides by the of the guard se optimum visil working. We re	er lar reas fine area uippe oray e um ectior bility ecom	guard should be used for applying ger areas and for precision along borders. The drift guard droplets unintentionally drifting s containing crops or bodies of d with a flat spray nozzle for a battern and is effectively limited at orella shape. The transparent design has been redesigned to give users of the area to be treated whilst nend combining it with a 75 cm brass telescopic spray wands.)	-	•	•	•	•	•	•	•		
	Round drift guard Ø 15 cm	protection for t and for use or full cone nozz The guard effec prevent fine d adjacent area The round drift	arge n var de er tivel iropi s cor guar	round drift guard with UV light ted, accurate herbicide application ious smaller plots. The preinstalled sures a circular spray pattern. restricts the spraying range to help ets unintentionally drifting into itaining crops or bodies of water. d is also made from transparent, ptimum visibility of the area to be	49580)	-	•	-	•	•	•	•	•		



Sets of seals for pressure and backpack sprayers

•	Recomme	nded	Suitable	•	Not reco	mmende	ed	-	Unsui	table / d	oes not	fit
Pos.	Designation	Description and	d recommended application	Part no.	201 202	211 212	401/402 201 C 202 C	461 462	256 257 258	410 424 425 435	473 D 475	206/411 216 417 441/442
1	Standard set of seals	Contains all sta models 461 and	ndard seals for SOLO pressure sprayer 462.	49551	-	-	-	٠	-	-	-	-
2	Standard set of seals	Contains all star models 256, 257	ndard seals for SOLO pressure sprayer 7 and 258.	49441	-	-	-	-	•	-	-	-
3	Standard set of seals		ndard seals for SOLO backpack sprayer A35 with piston pump.	49442	-	-	-	-	-	•	-	-
4	FKM set of seals		s for SOLO pressure sprayer models 58. Made from highly resistant FKM n®").	49577	-	-	-	-	•	-	-	-
5	FKM set of seals	and 435 with p resistant FKM i equipment level	s for SOLO backpack sprayer models 425 iston pump. Made from highly naterial ("Viton [®] "). Standard for all SOLO backpack sprayer models p in the Comfort and Pro categories.	49578	-	-	-	-	-	•	-	-
6	Standard set of seals	models 475 and Including pump	dard seals for SOLO backpack sprayer 473 D Classic with diaphragm pump. diaphragm made from special, highly n [®] material (TPV).	49443	-	-	-	-	-	-	•	-
7	FKM set of seals	and 473 D Clas highly resistant diaphragms mad Tivilon® materi	s for SOLO backpack sprayer models 475 sic with diaphragm pump. Made from t FKM material ("Viton®"). Including le from special, highly resistant al. Standard equipment level for rt and 475 Pro models.	49579	-	-	-	-	-	-	•	-



	4				5			6
7	-	•	-	•	•	•	•	06/411/ 441:
0.	201 202	211 212	401/402 201 C 202 C	461 462	256 257 258	410 424 425 435	473 D 475	206/411 216 417 441/442

Other accessories

Two-stroke oil and mixing container

•	Recomme	nded • Suitable					Not recommended					Unsuitable / does not fit			
Pos.	Designation	Description ar	nd recor	nmended ap	plication	Par	t no.	201 202	211 212	401/402 201 C 202 C	461 462	256 257 258	410 424 425 435	473 D 475	206/411 216 417 441/442
1	Manual valve set	made from spec and connection	essional manual valve. Robust, ergonomic design 4 e from special plastic material. With childproof lock connection for installing a pressure gauge (optional). Iding all parts necessary for installation.			494	440	-	•	-	•	•	•	•	•
2	Pressure gauge	We recommend the professional pressure gauge for highly accurate measurements and readings when permanent spray pressure control is required. The easily readable display range extends from 0 to 6 bar (0 - 90 psi) in 0.2 bar increments. To protect the pressure gauge against any impact and to ensure safe handling, it is equipped with a large, removable rubber cover with profile. The standard scope of delivery includes cap nuts and seal rings.				493	356	-	•	-	•	•	•	•	-
3	Ball valve filter				49	539	-	•	-	•	•	•	•	•	
4	Pro backpack carrying system	makes safe and sprayers easier with the help o sector, it offer to the balance shoulders and straps with co of the shoulde ensure perfect this hiking rucksack backpack spra	d tireles over lon f expert s maxin ed distri l hips. H omfortal er strap wearing The car ayers wi er mode	s working wi ger operating s from the ou- num user con- bution of we igh quality m ble padding a s and integra comfort, akin rying system f th 12 I and 1 els) and is star	nfort thanks hight over the haterials, wide and ventilation I waist belt to that of a modern its all SOLO 5 I tank capacities hdard equipment for		599	-	-	-	-	-	•1)	•	-
5	Compressed air connection valve	Automatic, rapid build-up of pressure saves you having to pump manually. Allows a large pressurised cushion of air to build up quickly and easily for longer working periods whilst maintaining a professional spray pattern. The pivoting compressed air connection valve enables an external compressed air supply to be connected to the sprayer and has an integral, automatic pressure valve. It fits SOLO pressure sprayer models 256, 257 and 258.			49	590	-	-	-	-	•	-	-	-	
6	Wheel set	traction whee tilting and mov	ls inclu ement. T	ling axle and his enables th	sing large, high I a handle for easy e pressure sprayer ı, without having to	492	211	-	-	-	-	•2)	-	-	-
7	Waist belt for 442		s and lui individu	nbar region. T al user and th	he length can be e belt is fastened	49	598	-	-	-	-	-	-	-	442:
		2		3			4 5			6		Ź			,

	Recommended	• Suitable	mended	- Unsuitable	e / does not fit	
Pos.	Designation	Description		Part no.	423	466
1	SOLO Profi 2T engine oil 1 I (for 50 l of two-stroke fuel mixture)	Semi-synthetic universal engine oil with Contains cleaning and corrosion-inhibiti Suitable for mixture lubrication and sep all air-cooled two-stroke engines. The di contains ensure automatic and even mix Prevents the fuel mixture from ageing Enables trouble-free engine start even afte periods Protects against corrosion Keeps the fuel system clean Excellent ignition capability 2 years; ever grade fuel is used Specifications: JASO FD, ISO-L-EGD, API TC, C Mixing ratio 1:50 (observe instructions from a	ng additives. arate lubrication of ssolving agents it king with the fuel. r standing for long en longer when high GLOBAL GD	49104	•	•
2	Mixing container 1 l	Practical, compact mixing container for without spills or drips, and practical mix mixture (petrol/oil). Including funnel and The funnel makes it easier to fill the tank, ev narrow filler necks. Hard to lose: when not be inserted into the mixing container and he screw cap. The cap can also help to achieve 2-stroke fuel: 1 cap full of two-stroke oil to 1 a mixing ratio of 1:50.	ting of 2-stroke fuel d measuring cap. en in the case of in use, the funnel can end in place with the an accurate ratio for	49278	•	•



Batteries and chargers

	Recommended		Suitable Not recommended		- Unsuitable / does not fit					
Pos.	Designation	Description						206/216/411/441	442	
1	Lithium-ion battery 11.1 V 2.5 Ah	Compact 11.1 V lithium-ion battery. Included with model 206/216/411/441.						49485		
2	Standard charger 1.5 A	Compact charger for external charging of the SOLO 11.1 V lithium-ion battery. Charging current 1.5 A. Included with models 206/216/411/441.						•	-	
3	Lithium-ion battery 18 V 2.5 Ah	Compact 18 V lithium-ion battery. Included with model 442.						-	•	
4	Lithium-ion battery 18 V 5.0 Ah	Compact 18 V lithium-ion battery with high capacity of 5 Ah, power capacity 90 Wh. Enables longer periods of use.					49482	-	•	
5	Standard charger 2 A	Compact charger for external charging of SOLO 18 V lithium-ion batteries. Charging current 2 A Included with model 442.					49483	-	•	
6	4 A express charger	Compact express charger for external charging of SOLO 18 V lithium-ion batteries. With increased 4 A charging current for shorter charging times.					49484	-	•	
1	2		3	4		5		6		





Accessories for power misters

•	Recommended		 Suitable Not recommended 				- Unsuitable / does not fit			
Pos.	Designation	Description						423	466	
1	ULV nozzle with metering device With the new SOLO ULV nozzle , spray liquids are applied in high concentrations using the ULV (ultra low volume) process and pesticides are atomised into very fine droplets . For droplet sizes between 40 and 51 μm (MVD), the SOLO ULV nozzle complies with the WHO standard. The very fine mist is sprayed in exactly the right direction thanks to the air flow from the blower in the mister. The spray liquid can be set to one of four flow rates via a setting wheel . This ULV nozzle is particularly suitable for vector contro in all parts of the world, i.e. for use against carriers of pathogens such as mosquitoes and other harmful insects.					49480		•	•	
2	Twin nozzle	With the aid of the twin nozzle, the spray pattern of SOLO misters can be split and enlarged . The amount of spray liquid supplied can be regulated at each nozzle separately. The angle between the two misting nozzles can be adjusted from 0° to 90° without using tools , i.e. the spray pattern can be altered from parallel to 90° even while misting. This makes it suitable for very versatile applications, from enlarging the jet to completely separating it to be able to spray in two different directions , for example when treating two rows at the same time . The removable broad spray attachments widen the spray stream which can be beneficial when treating narrow rows within a planting, for example.						•	•	
3	Extension wand	Using the 60 cm extension wand, the jet can be aimed more accurately as well as extended, which is helpful when spraying targets some distance away . The use o a SOLO liquid booster pump (accessory) is highly recommended in conjunction with the extension wand to ensure a reliable supply of spray liquid when spraying vertically.					333	•	•	
4	Liquid booster pump	d booster pump We recommend using the liquid booster pump when working with SOLO misters in plantings that predominantly require an upward spray direction or a greater reach. It enables a reliable supply of spray liquid especially when spraying vertically an using extension wand 49333.				491	17	•	•	



SOLO Kleinmotoren GmbH was founded in Stuttgart in 1948 and to this day is still a leading global manufacturer of high grade sprayers, pressure sprayers and foam sprayers, as well as misters and cut-off machines – all featuring the high German quality standards you have come to expect from us.

In addition to our head office in the south German town of Sindelfingen, we have partners and subsidiaries around the world to meet the requirements of our valued customers. Quality and proximity to customers are the reasons why SOLO products are used in almost every country in the world.

We are happy to advise you:



German quality sprayers and cut-off machines

SOLO Kleinmotoren GmbH Postfach 60 01 52 · D-71050 Sindelfingen Industriestr. 9 · D-71069 Sindelfingen Telephone + 49 70 31 / 301 - 0 Fax + 49 70 31 / 301 - 202 info@solo-germany.com · www.solo.global

Subject to technical modifications.



70 330 1/2024